

**ARIZONA GAME AND FISH DEPARTMENT
HERITAGE DATA MANAGEMENT SYSTEM**

Plant Abstract

Element Code: PDLAM0M0L0
Data Sensitivity: No

CLASSIFICATION, NOMENCLATURE, DESCRIPTION, RANGE

NAME: *Hedeoma costatum* A. Gray
COMMON NAME: Chiricahua mock pennyroyal, Ribbed false pennyroyal
SYNONYMS: *Hedeoma costata* Gray, *Hedeoma pulchellum* Greene, *H. albescentifolium* Bartlett, *H. convisae* A. Nels.
FAMILY: Lamiaceae

AUTHOR, PLACE OF PUBLICATION: A. Gray, Synoptical Flora of North America 2(1): 363. 1878.

TYPE LOCALITY: Chiapas, Mexico.

TYPE SPECIMEN: HT: GH-1173. A.B. Ghiesbreght 815, 1864. IT: NY-563.

TAXONOMIC UNIQUENESS: The genus *Hedeoma* contains approximately 38 species according to Hickman (1993), and 17 species per USDA, NRCS (PLANTS database 2002). Eight species of *Hedeoma* are recognized by Lehr (1978) as occurring in Arizona. Within the species *Hedeoma costatum*, there exists three varieties, with only *H. c.* Gray var. *pulchella* (Greene) Irving occurring in Arizona.

DESCRIPTION: Perennial herb with numerous stems to 15 cm tall, the stems branching, hairy. Leaves ovate or elliptic, 5-10 mm long and 3-6.5 mm wide, coarsely serrate, rounded or shortly cuneate margins, hairy on both surfaces, the nerves not conspicuously raised. Flowers in clusters (cymules) spaced along the upper part of the stems, 3-5 flowers per cluster. Calyx 6.5-8.0 mm long; the tube 4.5-5.5 mm long, the upper teeth connate for about 1/4 of their length forming an upper lip 2-3 mm long, the lobes slightly reflexed and laterally spreading, subulate, hirsute-ciliate; the lower teeth recurved, subulate, 2-3 mm long, hirsute-ciliate. Corolla (united petals) of 2 forms: one white, slender, and about equal to the length of the calyx, the lobes minute; the other form blue, long and well-exserted from the calyx tube, 10-20 mm long; the upper lip ligulate, slightly reflexed and emarginate about 1.5 mm wide, about 1.5 mm long; the lower lip 3-4 mm wide and 2-3 mm long. Nutlets (seeds) 0.6 mm wide and 1.2 mm long, the surface minutely areolate, weakly glaucous.

AIDS TO IDENTIFICATION: Looking at a comparison among two of the varieties of *Hedeoma costatum*, variety *pulchellum* differs from var. *costatum* in that it is canescent (gray hairs) throughout, the bracteoles (second order reduced leaves) are subulate (awl-shaped), and it is usually conspicuously longer than the pedicels (stalk). Variety *costatum* is variously

pubescent but not canescent, its bracteoles are narrowly triangular, usually shorter than the pedicels. *H. c.* var. *costatum* is of central and southern Mexico and Texas, while *H. c.* var. *pulchellum* is from northern Mexico and southwestern United States.

ILLUSTRATIONS: Color photo of Isotype collection (A.B. Ghiesbreght in NYBG at http://scisun.nybg.org:8890/searchdb/owa/wwwcatalog.detail_list?this_id=4389173)

TOTAL RANGE: Northern Mexico (Chihuahua), western Texas, southern New Mexico, and southeastern Arizona.

RANGE WITHIN ARIZONA: Huachuca Mountains in Cochise County.

SPECIES BIOLOGY AND POPULATION TRENDS

GROWTH FORM: Herbaceous perennial.

PHENOLOGY: Flowers from May – July.

BIOLOGY: Chromosome number $2n = 36$.

HABITAT: Arid calcareous mountain regions of mixed pine and oak woodlands, on open rocky limestone outcrops and cliff faces, and road embankments.

ELEVATION: 6,000 feet (1830 meters) in Arizona; about 3,000 to 7,500 feet (915 - 2288 meters) for the range.

EXPOSURE:

SUBSTRATE: Calcareous, rocky limestone outcrops and cliff faces.

PLANT COMMUNITY: Pine-oak woodland.

POPULATION TRENDS: Unknown.

SPECIES PROTECTION AND CONSERVATION

ENDANGERED SPECIES ACT STATUS:

None

STATE STATUS:

None

OTHER STATUS:

Forest Service Sensitive (USDA, FS Region 3 1999)

MANAGEMENT FACTORS:

PROTECTIVE MEASURES TAKEN:**SUGGESTED PROJECTS:**

LAND MANAGEMENT/OWNERSHIP: USFS - Coronado National Forest.

SOURCES OF FURTHER INFORMATION**REFERENCES:**

- Correll, D.S., M.C. Johnston and collaborators. 1970. Manual of the Vascular Plants of Texas. Texas Research Foundation. Renner, Texas. p. 1382.
- Harvard University Herbaria (HUH). 2001. Index of Botanical Specimens. Accessed: 3/16/2004, from <http://brimsa.huh.harvard.edu/cms-wb/specimens>.
- Hickman, J.C., ed. 1993. The Jepson manual, higher plants of California. University of California Press. Berkeley, California. P. 714.
- Irving, R.S. 1980. The Systematics of *Hedeoma* (Labiatae). Sida 8(3): 218, 268-272.
- Kearney, T.H., R.H. Peebles with collaborators. 1951. Arizona flora. Second edition with supplement by J.T. Howell, E. McClintock and collaborators. 1960. University of California Press. Berkeley. P. 745.
- Lehr, J.H. 1978. A catalogue of the Flora of Arizona. Desert Botanical Gardens. Phoenix, Arizona. P. 133.
- Missouri Botanical Garden – TROPICOS, Nomenclatural Data Base. *Hedeoma costatum* A. Gray. http://mobot.mobot.org/cgi-bin/search_vast. Accessed: 16 Mar 2004.
- Rickett, H.W., ed. 1970. Wild Flowers of the United States. Volume Four-Part Three of Three Parts. The New York Botanical Garden. New York. P. 550.
- The New York Botanical Garden. NYBG Specimens Detailed Results. http://scisun.nybg.org:8890/searchdb/owa/wwwcatalog.detail_list. Accessed: 3/16/2004.
- USDA, Forest Service Region 3. 1999. Regional Forester's Sensitive Species List.
- USDA, NRCS. 2002. The PLANTS Database, Version 3.5 (<http://plants.usda.gov>). National Plant Data Center, Baton Rouge, LA 70874-4490 USA.

MAJOR KNOWLEDGEABLE INDIVIDUALS:

Robert S. Irving - 1422 Summit, Little Rock, AR 72202.

ADDITIONAL INFORMATION:

Hedeoma costatum Gray var. *pulchellum* (Greene) Irving, is the only variety of *H. costatum* in Arizona, and is tracked at the Full species level by the Heritage Data Management System.

Revised: 1999-11-15(JCP)
2000-02-01 (SMS)
2004-04-01 (SMS)

To the user of this abstract: you may use the entire abstract or any part of it. We do request, however, that if you make use of this abstract in plans, reports, publications, etc. that you credit the Arizona Game and Fish Department. Please use the following citation:

Arizona Game and Fish Department. 20XX (= **year of last revision as indicated at end of abstract**). X...X (= **taxon of animal or plant**). Unpublished abstract compiled and edited by the Heritage Data Management System, Arizona Game and Fish Department, Phoenix, AZ. X pp.